

[Web](#) [Images](#) [Maps](#) [News](#) [Shopping](#) [Gmail](#) [more ▾](#)
[Sign in](#)


[Advanced Search](#)
[Preferences](#)

Customized based on recent search activity. [More detail](#)

Web

Results 1 - 10 of about 163,000 for subnet mask, 0.0.0.0. (0.16 seconds)

[IP Addressing, subnet mask, wildcard mask](#)

IP Addressing tutorial explaining how subnet masks work, the variable length ... The address 255.255.255.255 is used as broadcast addresses and 0.0.0.0 as a ...
[www.rhysaden.com/ipadd.htm](#) - 33k - [Cached](#) - [Similar pages](#)

[Which IP-address did we get ?](#)

If the IP-address and Subnet Mask are listed with "0.0.0.0", then there is NO IP-address assigned (no DHCP-server on the network and/or the ...
[www.windowsonnetworking.com/articles_tutorials/topipadr.html](#) - 38k - [Cached](#) - [Similar pages](#)

[Subnetwork - Wikipedia, the free encyclopedia](#)

Class, Leading bits, Start, End, Default Subnet Mask in dotted decimal. A (CIDR /8), 0, 0.0.0.0, 127.255.255.255, 255.0.0.0. B (CIDR /16), 10, 128.0.0.0 ...
[en.wikipedia.org/wiki/Subnetwork](#) - 47k - [Cached](#) - [Similar pages](#)

[Cisco IP subnetting 101: Learn more about all 1s and all 0s subnet ...](#)

If a PC is having trouble getting an IP address from a DHCP server, it will sometimes have an IP address of 0.0.0.0 and a subnet mask of 0.0.0.0. ...
[articles.techrepublic.com/5100-10878_11-5810663.html](#) - 53k - [Cached](#) - [Similar pages](#)

[CIDR SUBNET MASK CHEATSHEET & ICMP TYPE CODES](#)

CIDR SUBNET MASK CHEATSHEET ICMP TYPE CODES again.net/cidr. ... /1 0.0.0.0
00000000.00000000.00000000.00000000 /0 IP space Net Host Total Net Addr Addr Addr ...
[www.oav.net/mirrors/cidr.html](#) - 12k - [Cached](#) - [Similar pages](#)

[Google Answers: Networking Problem \(Subnet Mask\)](#)

From my limited understanding of subnet masks, I believe the subnet mask should be set in such ... you would have to set a subnet mask of 0.0.0.0 on box 1. ...
[answers.google.com/answers/threadview/id/198111.html](#) - 22k - [Cached](#) - [Similar pages](#)

[JTHs forslag til standardkonfiguration v. 1.10 for router <=> LAN ...](#)

192.168.1.1/255.255.255.0 Management IP address/subnet mask.... 0.0.0.0/0.0.0.0 Static Ethernet routes defined..... none Virtual Ethernet routes ...
[proaccess.jth.net/jthconf1.txt](#) - 14k - [Cached](#) - [Similar pages](#)

[Win98/XP networking problem \[Archive\] - Practically Networked Forums](#)

0.0.0.0 Subnet Mask : 0.0.0.0 Default Gateway : DHCP Server :
255.255.255.255 Primary WINS Server :
[forums.practicallynetworked.com/archive/index.php/t-426.html](#) - 17k - [Cached](#) - [Similar pages](#)

[Route](#)

The subnet mask can be the appropriate subnet mask for an IP network address, 255.255.255.255 for a host route, or 0.0.0.0 for the default route. ...
[technet.microsoft.com/en-us/library/bb480991.aspx](#) - 18k - [Cached](#) - [Similar pages](#)

[ccna.ExamPointers.com - Online IP Subnet Mask Calculator](#)

/0 0.0.0.0 /1 128.0.0.0 /2 192.0.0.0 /3 224.0.0.0 /4 240.0.0.0 /5 248.0.0.0 /6 ... So the subnet mask will be 255.255.255.248. If we use the last octet 248. ...
[ccna.exampointers.com/subnet.phtml](#) - 14k - [Cached](#) - [Similar pages](#)

[Web](#) [Images](#) [Maps](#) [News](#) [Shopping](#) [Gmail](#) [more ▾](#)[Sign in](#)

subnet mask, broadcast address

Search

[Advanced Search](#)
[Preferences](#)[Web](#) [Books](#)

Results 1 - 10 of about 134,000 for subnet mask, broadcast address. (0.28 seconds)

IP Addressing, subnet mask, wildcard mask

A Broadcast Address for a subnet is when all 1's are used in the host portion of the IP address. For example, for the IP address 10.17.20.4 and a mask of ...

www.tyshaden.com/ipaddr.htm - 83k - [Cached](#) - [Similar pages](#)

Broadcast address - Wikipedia, the free encyclopedia

Generally, the broadcast address is found by taking the bit complement of the subnet mask and then OR-ing it bitwise with the IP address. ...

en.wikipedia.org/wiki/Broadcast_address - 21k - [Cached](#) - [Similar pages](#)

Subnetwork - Wikipedia, the free encyclopedia

The subnet mask or CIDR suffix address is used in conjunction with the ... for the network ID and broadcast address respectively, leaving 62 addresses. ...

en.wikipedia.org/wiki/Subnetwork - 47k - [Cached](#) - [Similar pages](#)

Network Calculators

Subnet Mask Calculator. Enter the TCP/IP Network Address: ... Subnets:: Nodes/ Hosts per Network (including network and broadcast addresses)**: ...

www.subnetmask.info/ - 39k - [Cached](#) - [Similar pages](#)

xkcd • View topic - DHCP not getting a broadcast address from NETGEAR

5 posts - 4 authors - Last post: Sep 7

Firstly what to you mean by broadcast address. The address known as the subnet mask would look like 255.255.255.0 assuming a 32bit network ...

forums.xkcd.com/viewtopic.php?f=20&t=27373 - 26k - [Cached](#) - [Similar pages](#)

On IP Subnetting and Subnet Masks

The network base address and subnet mask determines what portion of the 32-bit ... The last one, 207.199.153.224, is the broadcast address for the subnet. ...

www.digipro.com/Papers/IP_Subnetting.shtml - 20k - [Cached](#) - [Similar pages](#)

Online IP Subnet Calculator

Results of the subnet calculation provide the hexadecimal IP address, the wildcard mask, for use with ACL (Access Control Lists), subnet ID, broadcast ...

www.subnet-calculator.com/ - 13k - [Cached](#) - [Similar pages](#)

The Protocols: W. Richard Stevens. - Google Books Result

by W Richard Stevens, Gary R Wright - 1994 - 576 pages

Classification of an IP address as a subnet-directed broadcast address requires knowledge of the subnet mask. For example, if a router receives a datagram ...

books.google.com/books?isbn=0201632469...

What is a Broadcast Address?

The broadcast address of any IP address can be calculated by taking the bit compliment of the subnet mask, sometimes referred to as the reverse mask, ...

www.tech-faq.com/broadcast-address.shtml - 26k - [Cached](#) - [Similar pages](#)

More Restrictive Subnet Masks

Similarly, you can calculate the Broadcast Address for a subnet by performing the same logical AND between the IP address and the subnet mask, then setting ...

www.raiphb.net/IPSubnet/restr.html - 7k - [Cached](#) - [Similar pages](#)